SAFETY DATA SHEET SDS REVISION DATE: 12/20/2022

APW PRO WHITE 500

THIS APPLIES TO UNDILUTED MATERIAL ONLY

1. PRODUCT & COMPANY NAME

1.1. Product identifier	
Product Identity	APW PRO WHITE 500
Alternate Names	NA ID NO: 500.1220
1.2. Relevant identified uses of the substance of Intended use See Product LabelApplication Method See Technical Data Sheet.	r mixture and uses advised against
1.3. Details of the supplier of the safety data she	eet
Company Name	Easy Kleen Pressure Systems, LTD 41 Earnhard Road Sussex Corner NB, F4F 6A1
Customer Service: Easy Kleen Pressure Systems	
1.4 Medical and Emergency Spill Info 24/7	CHEMTREC: (800) 424-9300 (CCN#206316)
2. HAZARD IDENTIFIC	ATION OF THE PRODUCT
2.1. Classification of the substance on minture	

2.1. Classification of the substance or mixture

Acute Tox. 5;H303	May be harmful if swallowed. (Not adopted by US OSHA)
Skin Corr. 1B;H314	May cause severe skin burns and eye damage.
Eye Dam. 1;H318	May cause serious eye damage.
Skin Sens. 1;H317	May cause an allergic skin reaction.
STOT SE 3;H335	May cause respiratory irritation.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows. Danger H303 May be harmful if swallowed. H314 May cause severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

[Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray. **P264** Wash thoroughly after handling. **P271** Use in a well-ventilated area. **P280** Wear protective gloves / eye protection / face protection.

[Response]:

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. **P302+352** IF ON SKIN: Wash with plenty of soap and water. **P303+361+353** IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower. **P305+351+338** IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. **P333+313** If skin irritation or a rash occurs: Get medical advice / attention. **P340** Remove victim to fresh air and keep at rest in a position comfortable for breathing. **P363** Wash contaminated clothing before reuse. **P391** Collect spillage.

[Storage]:

P405 Store locked up.

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.



PAGE 1

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

INGREDIENT/CHEMICAL DESIGNATIONS	WEIGHT %
Disodium metasilicate CAS Number: 0006834-92-0	30 - 60
pentasodium triphosphate CAS Number: 0007758-29-4	30 - 60
Sodium carbonate CAS Number: 0000497-19-8	10 - 30
Ethylene glycol monobutyl ether CAS Number: 0000111-76-2	1.0 - 10
D-Limonene CAS Number: 0005989-27-5	1.0 - 05
Surfactant Blend CAS Number: Proprietary	1.0 - 10

4. FIRST AID MEASURES

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth
	to an unconscious person. NOTES TO PHYSICIAN: All treatments should be based on observed signs
	and symptoms of distress in the patient. Consideration should be given to the possibility that overexpo
	sure to materials other than this product may have occurred.
Inhalation	If coughing or sneezing occurs move to fresh air.

- **Eyes** Allow streaming water to flow over the face while blinking both eyes for 15 minutes for optimum irrigation. Get medical attention.
- Skin In case of skin contact, immediately flush skin with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.
- **Ingestion** Do NOT induce vomiting. Give water or milk of Magnesia. If vomiting occurs, keep airways clear. Seek immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Overview IMMEDIATE CONCERNS: CAUTION: May Cause eye or skin burns. Avoid dust accumulation. POTEN-TIAL SIDE AFFECTS: EYES: Tissue destruction and permanent eye damage may occur if not treated immediately. SKIN: Can be a severe irritant. May be corrosive and cause severe burns. INGESTION: Corrosive to mucous membranes of the mouth, esophagus, stomach & throat. INHALATION: Coughing or sneezing may occur due to exposure to airborne dust. Lung Damage may occur due to overexposure. SIGNS AND SYMPTOMS OF OVEREXPOSURE EYES: irritation and burn may occur. SKIN: Severe skin irritation. INGESTION: NA INHALATION: Severe irritation and burning. ACUTE TOXICITY: Eye, skin and lung burning may occur with exposure to airborne dust. Avoid dust. TARGET ORGAN STATEMENT: Contains material which may cause gastrointestinal tract and respiratory tract. See section 2 for further details.

Eyes: May cause serious eye damage. **Skin:** May cause an allergic skin reaction. Causes severe skin burns and eye damage. **Ingestion:** May be harmful if swallowed. (Not adopted by US OSHA)

5. FIREFIGHTING MEASURES

5.1. Extinguishing media: Water, carbon dioxide, foam, dry chemical.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Heat

Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

Respiratory and eye protection are required for fire-fighting personnel. Full protective equipment and self- contained breathing apparatus should be used for all indoor fires and any significant outdoor fires. **ERG Guide No.** ----



PAGE 2

SAFETY DATA SHEET SDS REVISION DATE: 12/20/2022

APW PRO WHITE 500

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

SMALL SPILL: Sweep up spilled material and reuse. Small residue can be flushed with water.

LARGE SPILL: Sweep up spilled material and reuse.

WATER SPILL: Use appropriate containment to avoid runoff.

LAND SPILL: Use appropriate containment to avoid runoff.

RELEASE NOTES: If spill could potentially enter any waterway, including intermittent dry creeks, contact the local authorities. If in the US, contact the US Coast Guard National Response Center toll free at 800-424-8802

7. HANDLING & STORAGE

7.1. Precautions for safe handling

Handle in a well ventilated area. Handle and use in a manner consistent with good industrial and/or manufacturing techniques and practices.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong Acids

STORAGE: Store in a cool dry area. Keep container closed when not in use.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s): Industrial parts washer detergent

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

CAS NO.	INGREDIENT	SOURCE	VALUE
0000111-76-2	Ethylene glycol monobutyl ether	OSHA ACGIH NIOSH Supplier	TWA 50 ppm (240 mg/m3) [skin] TWA: 20 ppm Revised 2003 TWA 5 ppm (24 mg/m3) [skin] No Established Limit
0006834-92-0	Disodium metasilicate	OSHA ACGIH NIOSH Supplier	No Established Limit No Established Limit No Established Limit ACHAN TLV/OSHA 2mg/m3PEL 2mg/m3



APW PRO WHITE 500

8. EXPOSURE CONTROLS & PERSONAL PROTECTION		
Carcinogen Data:	No suspected or known carcinogens.	
8.2. Exposure controls		
Respiratory	ΝΑ	
Eyes	Safety glasses or goggles.	
Skin	Chemical resistant gloves.	
Engineering Controls	Provide adequate ventilation.	
Other Work Practices	Facilities storing or using this material should be equipped with an eyewash facility and a safety	
	shower. Good personal hygiene practices should always be followed. Use good personal hygiene	
	practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled	
	clothing and wash thoroughly before reuse.	

See section 2 for further details. - [Prevention]:

9. PHYSICAL & CHEMICAL PROPERTIES

Appearance	Granular White Powder
Odor	Citrus
Odor threshold	Not Measured
рН	12.4 (4 oz. solution)
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	NA
Flash Point	NA
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured
	Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	NA
Vapor Density	(Air=1) NA
Specific Gravity	1
Solubility in Water	Soluble
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	NA
Q.2. Other information. No other relevant information	

9.2. Other information: No other relevant information.

10. STABILITY & REACTIVITY

10.1. Reactivity: Hazardous Polymerization will not occur.

- 10.2. Chemical stability: Stable under normal ambient conditions of temperature and pressure.
- **10.3. Possibility of hazardous reactions:** No data available.

10.4. Conditions to avoid: NA

- 10.5. Incompatible materials: Strong Acids
- 10.6. Hazardous decomposition products: Heat



SAFETY DATA SHEET SDS REVISION DATE: 12/20/2022

APW PRO WHITE 500

11. TOXICOLOGICAL

Acute toxicity

INGREDIENT	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Disodium metasili- cate - (6834-92-0)	1,153.00, Rat - Cate- gory: 4	No data available	No data available	No data available	No data available
pentasodium tri- phosphate - (7758- 29-4)	3,120.00, Rat - Cate- gory: 5	No data available	No data available	No data available	No data available
Sodium carbonate - (497-19-8)	4,090.00, Rat - Category 5	No data available	No data available	No data available	No data available
Ethylene glycol monobutyl ether - (111-76-2)	1,414.00, Guinea Pig - Cate- gory: 4	1,200.00, Guinea Pig - Cate- gory: 4	173.00, Guinea Pig - Category: NA	No data available	No data available
D-Limonene - (5989-27-5)	4,400.00, Rat - Cate- gory: 5	5,000.00, Rabbit - Category: 5	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

CLASSIFICATION	CATEGORY	HAZARD DESCRIPTION
Acute toxicity (oral)	5	May be harmful if swallowed. (Not adopted by US OSHA)
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	18	May cause severe skin burns and eye damage.
Serious eye damage/irritation	1	May cause serious eye damage.
Respiratory sensitization		Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable



12. ECOLOGIAL INFORMATION

12.1. Aquatic Ecotoxicity

Ingredient	96 hr LC50	48 hr EC50 crusta-	ErC50 algae,
	fish, mg/l	cea, mg/l	mg/l
Disodium metasilicate -	210.00, Danio	33.53, Ceriodaphnia	400.00 (72 hr), Pseudokirch-
(6834-92-0)	rerio	dubia	neriella subcapitata
Sodium carbonate - (497-	300.00, Lepomis	265.00, Daphnia magna	242.00 (72 hr), Freshwater
19-8)	macrochirus		Algae
Ethylene glycol monobu- tyl ether - (111-76-2)	220.00, Fish (Pi- scis)	1,000.00, Daphnia magna	Not Available
D-Limonene - (5989-27- 5)	0.702, Pime- phales promelas	0.577, Daphnia magna	Not Available
Surfactant blend - (Pro- prietary)	Not Available	Not Available	Not Available

12.2. Persistence and degradability: There is no data available on the preparation itself.

- 12.3. Bioaccumulative potential: Not Measured
- 12.4. Mobility in soil: No data available.
- 12.5. Results of PBT and vPvB assessment: This product contains no PBT/vPvB chemicals
- 12.6. Other adverse effects: No data available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods: Observe all federal, state and local regulations when disposing of this substance.

14. TRANSPORT INFORMATION

DOT (Domestic Surface

Transportation)

Not Applicable

Not Regulated

Not Applicable

DOT Label: ---

DOT Hazard Class:

14.1. UN number
14.2. UN proper shipping name
14.3. Transport hazard
class(es)

14.4. Packing groupNot Applicable14.5. Environmental hazardsMarine Pollutant: NoIMDGMarine Pollutant: No14.6. Special precautions for user: No further information

IMO / IMDG (OceanICAO/IATATransportation)Not RegulatedNot RegulatedNot RegulatedNot RegulatedNot RegulatedIMDC:Air Class:Not ApplicableNot ApplicableSub Class: Not ApplicableNot Applicable



APW PRO WHITE 500

15. REGULATORY INFORMATION

	Regulatory Overview		data in Section 15 is not intended to be nly selected regulations are represented.
	Toxic Substance		s of this material are either listed or exempt
	Control Act (TSCA)		the TSCA Inventory.
	WHMIS Classification	D2B E	
US EPA Tier II Hazards	Fire:		No
	Sudden Releas	se of Pressure:	No
	Reactive:		No
	Immediate (Ac	cute):	Yes
	Delayed (Chro	nic):	No
EPCRA 311/312 Chemicals and	RQs (lbs.): pentasodium	triphosphate (5,0	000.00)
EPCRA 302 Extremely Hazardous : (No Product Ingredients Listed)			
EPCRA 313 Toxic Chemicals: Ethylene glycol monobutyl ether			
Proposition 65 - Carcinogens	(>0.0%): (No Product Ing	gredients Listed)	
Proposition 65 - Developmental Toxins (>0.0%): (No Product Ingredients Listed)			
Proposition 65 - Female Repro Toxins (>0.0%): (No Product Ingredients Listed)			
Proposition 65 - Male Repro Toxins (>0.0%): (No Product Ingredients Listed)			
N.J. RTK Substances (>1%): Ethylene glycol monobutyl ether			
Penn RTK Substances (>1%): Ethylene glycol monobutyl ether, pentasodium triphosphate			

16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

We believe this Safety Data Sheet conforms to the requirements of US OSHA 29 CFR 1910.1200, 91/155/EEC and Canadian Hazardous Products Act. We believe the information contained on this Safety Data Sheet is current and offered in good faith. The information is provided for your guidance only. Easy Kleen Pressure Systems makes no warranty of any kind, express or implied, concerning the accuracy or completeness of the information and data herein. It is the user's obligation to determine the suitability of this product for a specific purpose and the conditions for safe use of the product. We reserve the right to revise this Safety Data Sheet as newer information becomes available. Easy Kleen Pressure Systems makes no warranty of any kind.

END OF DOCUMENT

